


Pig Science - Breeding - Solution 1

Peter von Rohr

2022-04-27

Problem 1: Breeding Programs

What are the components of a breeding program. Insert the components into the following diagram.




Solution

A breeding program consists of the following components.

- Breeding Goal
- Performance Test
- Reproduction Technologies
- Breeding Value Prediction
- Selection and Mating
- Selection Response

The completed version of the above diagram looks as follows



Problem 2: Performance Test

In a traditional dairy cattle breeding program, sires are selected based on the predicted breeding values based on the performance of their daughters. For a solid selection decision, we want that the reliability (B) to be greater than 0.75. The reliability of a predicted breeding value can be approximated by the following formula.

$$B = \frac{n}{n + k}$$

where n stands for the number of daughters and k corresponds to the term $(4 - h^2)/h^2$. The variable h^2 is the heritability of the trait under investigation. For our example we assume that $h^2 = 0.25$.

Your Task

- Compute the number of daughters n that must be tested for a given sire such that B is at least 0.75.
- How long does it take from the birth of a given sire to the time point where the predicted breeding value of the bull with a reliability of B of at least 0.75 is available? Here we assume that the first semen can be harvested from the bull at an age of 12 months and the average age at first calving is 27 months. The number of monthly milk controls to get a first lactation is assumed to be 10.

Solution

The minimum number of daughters can be computed as shown below.

- **Step 1:** Computation of k

$$k = \frac{4 - h^2}{h^2} = \frac{4 - 0.25}{0.25} = 15$$

- **Step 2:** Solve for n

$$B = \frac{n}{n+k}$$

$$B(n+k) = n$$

$$Bk = n - Bn$$

$$Bk = n(1 - B)$$

$$n = \frac{Bk}{(1 - B)} = \frac{0.75 * 15}{1 - 0.75} = 45$$

The time that it takes from the birth of a bull calf to the publication of the predicted breeding value based on daughter performance consists of the following time components.

```
age_test_result <- bull_age_p02 + gest_len_p02 + afc_p02 + nr_cont_per_lact
```

- Age of the bull at first harvest of semen: 12 months
- Gestation length: 9 months
- Age at first calving: 27 months
- Number of monthly milk controls until lactation is completed: 10

In total this makes 58 months. It must be noted that this is the minimum time requirement. It can only be achieved, if the semen from the young test bull can be used all at the same time. This can only happen, if there are enough farmers willing to inseminate the cows with the test bull.